



CLAIMS

What is claimed is:

| 1 | 1. | A system for implementing entity bookmarks, comprising. |
|--------|----|--|
| 2 | | an entity including an addressing mechanism; |
| 3 4 | | a selectable resource wherein the resource is accessible via the addressing mechanism; and |
| 5 | | means for selecting the resource. |
| 1 | 2. | A method for implementing entity bookmarks, comprising: |
| 2 | | selecting an identifier associated with a resource; |
| 3 4 | | associating the identifier with an entity bookmark, wherein the resource is accessed by selecting the entity bookmark. |
| 1 | 3. | An entity, comprising: |
| 2 | | a media pool; |
| 3 | | a body; |
| 4 | | at least one entity method; and |
| 5 6 | | at least one bookmark, wherein the bookmark provides an addressing mechanism. |
| 1 | 4. | An entity, comprising: |
| 2 | | a media pool; |
| 3 | | a body; |
| 4 | | a brain; |

| 5 | | at least one entity method; and |
|-------------|-------|--|
| 6 7 | | at least one bookmark, wherein the bookmark provides an addressing mechanism. |
| 1 2 | 5. | The system of claim 1 wherein the addressing mechanism provides a link to a universal resource identifier (URI). |
| 1 2 | 6. | The method of claim 2, wherein the identifier is a universal resource identifier (URI). |
| 1 | 7. | A system for entity messaging, comprising: |
| 2 | | an entity including at least one bookmark; |
| 3 | | an entity-enabled device for invoking the entity; and |
| 4 | | a bookmark selection means for selecting the bookmark. |
| 1 | 8. | A method for entity messaging, comprising: |
| 2 | bookr | invoking an entity, wherein the entity includes at least one mark associated with a resource; |
| 4 | | selecting the bookmark; and |
| 5 | | accessing the resource associated with the bookmark. |
| 1 2 3 | 9. | The system of claim 7, wherein the bookmark selection means further comprises error handling means for determining whether the bookmark selection fails. |
| 1 2 | 10. | The system of claim 7, wherein the bookmark selection means is a link to a universal resource identifier (URI). |
| 1 2 | 11. | The system of claim 7, wherein the bookmark selection means is a shortcut to a link to a universal resource identifier (URI). |

| 1 | 12. | The method of claim 8, wherein the resource associated with the |
|---|-----|---|
| 2 | | bookmark is a universal resource identifier (URI). |
| 1 | 13. | The method of claim 8, further comprising the step of |
| 2 | | determining whether an error has occurred during the accessing |
| 3 | | of the resource. |
| | | |